



SIYING LED

CLASSIC LED BULB

Ningbo Siying Optoelectronic Lighting
Science & Technology Co.,Ltd

📍 No.9 Shaozhong Road,East of Industrial Zone, Yuyao,Ningbo,Zhejiang Province,China

☎ +86-574-62026531



✉ david.chen@sy-ledlighting.com

🌐 www.sylight.net



CATALOG 2019

Ningbo Siying Optoelectronic Lighting Science & Technology Co.,Ltd



INTRODUCTION

SIYINGLED is located in Yuyao,Ningbo, specialized in producing led light source and led lighting. Factory has more than 500 employees and area more than 20,000 square meters.

The company has passed international standard product authentications in safety assurance including ISO9001, CE,RoHS,GS,SAA ,ErP and TUV certification.

Being an OEM/ODM manufacturer,our export percentage is more than 95% and the overseas market extends to Europe, America, Asia, Australia and Africa.With advanced technology,standard workshops and modern management, SIYING always offer our clients a variety of products, ensuring high quality and the best service.


Welcome your visitation!

SIYING LED



Packaging

We can design a variety of packaging requirements of customers



ErP



ErP

RoHS




LED Bulb Ra95



Healthy Light

Ra=98.3



Full Spectrum
Lighting

R1=99 R2=100 R3=98 R4=99 R5=99 R6=98 R7=98
R8=97 R9=93 R10=99 R11=98 R12=87 R13=99 R14=98 R15=98




For baby care



For eyesight protection

1. Excellent Color Consistency and CRI
2. Fit in applications where a traditional incandescent is used
3. Healthy Lighting: comfortable light, good consistency light color

The LED lamp Energy class is Class A++



- Save Energy
- Protect the environment




2019 LED Bulb Standard

Environmental protection,energy saving.




SY-A013A



SY-A014A




SY-A015A



SY-A016A



SY-A017A



SY-A018A



ErP RoHS



Ra > 80
Ra > 90

80~150
LM/W

PF>0.5
PF>0.7
PF>0.9



CCT
2700K
4100K
6000K

Voltage
AC100~240V
AC220~240V
AC170~250V

25,000H



Model	Code	W	lm	EQ-Watts	PF		
A60	SY-A013A	7W	560LM	50W	>0.5	WM/NW/CW	270°
A60	SY-A014A	9W	806LM	60W	>0.5	WM/NW/CW	240°
A60	SY-A015A	10W	806LM	60W	>0.5	WM/NW/CW	240°
A60	SY-A016A	12W	1055LM	75W	>0.5	WM/NW/CW	240°
A60	SY-A017A	15W	1250LM	85W	>0.5	WM/NW/CW	240°
A60	SY-A018A	17W	1521LM	100W	>0.5	WM/NW/CW	240°



ErP RoHS SAA BSCI

DIMMABLE	Ra > 80 Ra > 90	80~150 LM/W	PF>0.5 PF>0.7 PF>0.9	CCT 2700K 4100K 6000K	Voltage AC100~240V AC220~240V AC170~260V	25,000H	E27	E26	E14	B22	B15
----------	--------------------	----------------	----------------------------	--------------------------------	---	---------	-----	-----	-----	-----	-----



Model	Code	W	lm	EQ-Watts		
G45	SY-S010	3W	250LM	25W	WM/NW/CW	160°
G45	SY-S011	4W	323LM	30W	WM/NW/CW	160°
G45	SY-S012	5W	396LM	35W	WM/NW/CW	160°
G45	SY-S013	6W	480LM	40W	WM/NW/CW	160°
G45	SY-S014	7W	560LM	45W	WM/NW/CW	160°
G45	SY-S015	8W	640LM	50W	WM/NW/CW	160°
G45	SY-S022	9W	806LM	60W	WM/NW/CW	160°



(SY-S016 SY-S017 SY-S018 SY-S019)




(SY-S020 SY-S021)




ErP RoHS SAA BSCI

DIMMABLE	Ra > 80 Ra > 90	80~150 LM/W	PF>0.5 PF>0.7 PF>0.9	CCT 2700K 4100K 6000K	Voltage AC100~240V AC220~240V AC170~260V	25,000H	E27	E26	E14	B22	B15
----------	--------------------	----------------	----------------------------	--------------------------------	---	---------	-----	-----	-----	-----	-----


Model	Code	W	lm	EQ-Watts		
C37	SY-S016	3W	250LM	25W	WM/NW/CW	160°
C37	SY-S017	4W	323LM	30W	WM/NW/CW	160°
C37	SY-S019	6W	480LM	40W	WM/NW/CW	160°
C37	SY-S018	5W	396LM	35W	WM/NW/CW	160°
C37	SY-S020	7W	560LM	45W	WM/NW/CW	160°
C37	SY-S021	8W	640LM	50W	WM/NW/CW	160°
C37	SY-S023	9W	806LM	60W	WM/NW/CW	160°



SY-A029




SY-A030




SY-A031




SY-A032




SY-A033




SY-A034




SY-A035




SY-A036




SY-A037




SY-A038



SY-A039



SY-A040



A80/A95/A110



A120/A140/A160



Model	Code	W	lm	EQ-Watts		
A45	SY-A029	3W	250LM	25W	WM/NW/CW	200°
A50	SY-A030	5W	470LM	40W	WM/NW/CW	200°
A55	SY-A031	7W	550LM	50W	WM/NW/CW	200°
A60	SY-A032	10W	806LM	60W	WM/NW/CW	200°
A65	SY-A033	12W	1055LM	70W	WM/NW/CW	200°
A70	SY-A034	15W	1250LM	85W	WM/NW/CW	200°

Model	Code	W	lm	EQ-Watts		
A80	SY-A035	18W	1521LM	100W	WM/NW/CW	200°
A95	SY-A036	20W	1800LM	120W	WM/NW/CW	200°
A110	SY-A037	28W	2380LM	155W	WM/NW/CW	200°
A120	SY-A038	30W	2700LM	200W	WM/NW/CW	200°
A140	SY-A039	40W	3600LM	250W	WM/NW/CW	200°
A160	SY-A040	50W	4500LM	300W	WM/NW/CW	200°



SY-G021



SY-G022



SY-G023



SY-G024











SY-G026




SY-G027




SY-G028



Model	Code	W	lm	EQ-Watts		
G50	SY-G021	5W	470LM	40W	WM/NW/CW	270°
G55	SY-G022	6W	550LM	50W	WM/NW/CW	270°
G60	SY-G023	7W	630LM	55W	WM/NW/CW	270°
G80	SY-G024	12W	1055LM	70W	WM/NW/CW	270°



Model	Code	W	lm	EQ-Watts		
G95	SY-G026	15W	1250LM	85W	WM/NW/CW	270°
G120	SY-G027	18W	1521LM	100W	WM/NW/CW	270°
G150	SY-G028	24W	2050LM	150W	WM/NW/CW	270°



ErP RoHS SAA BSCI

Ra > 80

Ra > 90

80~150

LM/W

PF>0.5

PF>0.7

PF>0.9

CCT

2700K

4100K

6000K

Voltage

AC100~240V

AC220~240V

AC170~250V

25,000H



Model	Code	W	lm		
T50	SY-HP09	7W	560LM	WM/NW/CW	270°
T60	SY-HP10	10W	806LM	WM/NW/CW	270°
T70	SY-HP11	15W	1350LM	WM/NW/CW	270°
T80	SY-HP12	20W	1800LM	WM/NW/CW	270°

ErP RoHS SAA BSCI

Ra > 80

Ra > 90

80~150

LM/W

PF>0.5

PF>0.7

PF>0.9

CCT

2700K

4100K

6000K

Voltage

AC100~240V

AC220~240V

AC170~250V

25,000H



Model	Code	W	lm		
T100	SY-HP13	30W	2700LM	WM/NW/CW	270°
T120	SY-HP14	40W	3600LM	WM/NW/CW	270°
T140	SY-HP15	50W	4500LM	WM/NW/CW	270°
T160	SY-HP16	60W	5400LM	WM/NW/CW	270°



2019 LED Bulb Classic


Environmental protection, energy saving.

Ceramic


popular




SY-C011



SY-C012



SY-C013



ErP RoHS SAA BSCI

Ra > 80
Ra > 90

80~150
LM/W

PF>0.5
PF>0.7
PF>0.9

CCT
2700K
4100K
6000K

Voltage
AC100~240V
AC220~240V
AC170~260V

25,000H

Model	Code	W	lm	EQ-Watts		
G45	SY-C011	7W	700LM	55W	WM/NW/CW	160°
		8W	800LM	60W	WM/NW/CW	160°
		9W	900LM	68W	WM/NW/CW	160°
C37	SY-C012	7W	700LM	55W	WM/NW/CW	160°
		8W	800LM	60W	WM/NW/CW	160°
		9W	900LM	68W	WM/NW/CW	160°
C37L	SY-C013	7W	700LM	55W	WM/NW/CW	160°
		8W	800LM	60W	WM/NW/CW	160°
		9W	900LM	68W	WM/NW/CW	160°

new




SY-A070



SY-A071



SY-A072



SY-A073



SY-A074



SY-A074

ErP RoHS SAA BSCI

Ra > 80
Ra > 90

80~150
LM/W

PF>0.5
PF>0.7
PF>0.9

CCT
2700K
4100K
6000K

Voltage
AC100~240V
AC220~240V
AC170~260V

25,000H

Model	Code	W	lm	EQ-Watts		
A60	SY-A070	10W	1050LM	70W	WM/NW/CW	270°
A60	SY-A071	12W	1255LM	80W	WM/NW/CW	200°
A65	SY-A072	15W	1521LM	100W	WM/NW/CW	270°
A70	SY-A073	18W	1800LM	120W	WM/NW/CW	200°
A80	SY-A074	22W	2200LM	145W	WM/NW/CW	200°
A95	SY-A075	25W	2500LM	165W	WM/NW/CW	200°

new






SY-G031



SY-G032



SY-G033



ErP RoHS SAA BSCI

Ra > 80
Ra > 90

80~150
LM/W

PF>0.5
PF>0.7
PF>0.9

CCT
2700K
4100K
6000K

Voltage
AC100~240V
AC220~240V
AC170~260V

25,000H

Model	Code	W	lm	EQ-Watts		
G50	SY-G031	8W	806LM	60W	WM/NW/CW	270°
G55	SY-G032	10W	1050LM	70W	WM/NW/CW	270°
G60	SY-G033	12W	1255LM	80W	WM/NW/CW	270°



SY-A041



SY-A042



SY-A043











SY-A060



SY-A061



SY-A062



Model	Code	W	lm	EQ-Watts		
A70	SY-A041	18W	1521LM	100W	WM/NW/CW	200°
A80	SY-A042	20W	1800LM	120W	WM/NW/CW	200°
A95	SY-A043	24W	2050LM	135W	WM/NW/CW	200°

Model	Code	W	lm	EQ-Watts		
A60	SY-A060	16W	1920LM	125W	WM/NW/CW	200°
A70	SY-A061	18W	2160LM	140W	WM/NW/CW	200°
A80	SY-A062	22W	2640LM	165W	WM/NW/CW	200°



SY-HP21



SY-HP22



SY-HP23









SY-HP25



SY-HP26



SY-HP27



HP24




HP21/HP22/HP23




Model	Code	W	lm		
T80	SY-HP21	20W	1800LM	WM/NW/CW	270°
T100	SY-HP22	30W	2700LM	WM/NW/CW	270°
T120	SY-HP23	40W/50W	3600LM/4500LM	WM/NW/CW	270°


Model	Code	W	lm		
T140	SY-HP25	50W/60W	4500LM/5400LM	WM/NW/CW	270°
T140	SY-HP26	80W	7200LM	WM/NW/CW	270°
T150	SY-HP27	60W/70W	5400LM/6300LM	WM/NW/CW	270°




ErP RoHS SAA BSCI




Color for choice:



Model	Code	W	lm		
R150	SYUFOS-01	18W	1620LM	WM/NW/CW	160°
R220	SYUFOS-02	24W	2160LM	WM/NW/CW	160°
R260	SYUFOS-03	36W	3240LM	WM/NW/CW	160°
R280	SYUFOS-04	42W	3780LM	WM/NW/CW	160°



ErP RoHS SAA BSCI



Color for choice:



Model	Code	W	lm		
R130	SYUFOS-05	15W	1450LM	WM/NW/CW	120°
R160	SYUFOS-06	20W	1980LM	WM/NW/CW	120°
R180	SYUFOS-07	25W	2390LM	WM/NW/CW	120°
R230	SYUFOS-08	36W	3560LM	WM/NW/CW	120°






SY-BM01



SY-BM02



SY-BM03




Model	Code	W	lm	EQ-Watts		
Corn87	SY-BM01	36W	3600LM	240W	WM/NW/CW	360°
Corn94	SY-BM02	54W	5400LM	350W	WM/NW/CW	360°
Corn121	SY-BM03	80W	8000LM	600W	WM/NW/CW	360°

2019 LED Filament


Environmental protection, energy saving.





SY-F001
SY-F002



SY-F003



SY-F004
SY-F005
SY-F006



ST48/ST58/ST64




SY-F021
SY-F022

SY-F023
SY-F024
SY-F025

SY-F026


SY-F027
SY-F028



A60/G120



C37/G45



Model	Code	W	lm	EQ-Watts		
ST48	SY-F001	2W	250LM	25W	WM/NW/CW	360°
	SY-F002	4W	470LM	40W	WM/NW/CW	360°
ST58	SY-F003	4W	470LM	40W	WM/NW/CW	360°
ST64	SY-F004	4W	470LM	40W	WM/NW/CW	360°
	SY-F005	5W	600LM	50W	WM/NW/CW	360°
	SY-F006	6W	806LM	60W	WM/NW/CW	360°

Model	Code	W	lm	EQ-Watts		
G45	SY-F021	2W	210LM	21W	WM/NW/CW	360°
	SY-F022	4W	400LM	40W	WM/NW/CW	360°
A60	SY-F023	4W	400LM	40W	WM/NW/CW	360°
	SY-F024	6W	600LM	60W	WM/NW/CW	360°
	SY-F025	8W	800LM	80W	WM/NW/CW	360°
G120	SY-F026	8W	800LM	80W	WM/NW/CW	360°
C37/C37L	SY-F027	2W	200LM	20W	WM/NW/CW	360°
	SY-F028	4W	400LM	40W	WM/NW/CW	360°




SY-F011
SY-F012

SY-F015
SY-F016
SY-F017

SY-F018

SY-F013

SY-F014




SY-B011

SY-B013

SY-B016


SY-B017



A60/G120



G45/C37/C37L



A60



G45/C37/C37L




Model	Code	W	lm	EQ-Watts		
G45	SY-F011	2W	210LM	21W	WM/NW/CW	360°
	SY-F012	4W	400LM	40W	WM/NW/CW	360°
A60	SY-F015	4W	400LM	40W	WM/NW/CW	360°
	SY-F016	6W	600LM	60W	WM/NW/CW	360°
	SY-F017	8W	800LM	80W	WM/NW/CW	360°
G120	SY-F018	8W	800LM	80W	WM/NW/CW	360°
C37/C37L	SY-F013	2W	200LM	20W	WM/NW/CW	360°
	SY-F014	4W	400LM	40W	WM/NW/CW	360°

Model	Code	W	lm	EQ-Watts		
G45	SY-B011	2W	160LM	15W	WM/NW/CW	360°
	SY-B012	4W	320LM	30W	WM/NW/CW	360°
A60	SY-B013	4W	320LM	30W	WM/NW/CW	360°
	SY-B014	6W	480LM	45W	WM/NW/CW	360°
	SY-B015	8W	640LM	60W	WM/NW/CW	360°
C37/C37L	SY-B016	2W	160LM	15W	WM/NW/CW	360°
	SY-B017	4W	320LM	30W	WM/NW/CW	360°



SMD2835

new



ErP RoHS SAA BSCI

Ra > 80
Ra > 90

80~150
LM/W

PF>0.5
PF>0.7
PF>0.9

CCT
2700K
4100K
6000K

Voltage
AC100~240V
AC220~240V
AC170~250V

25,000H

Model	Code	W	lm		
G100	SY-TW-2U-P	5W	250LM	WM/NW/CW	300°
T60	SY-TW-2U-C	5W	250LM	WM/NW/CW	300°
C70	SY-TW-2U-R	5W	250LM	WM/NW/CW	300°
G100	SY-TW-DJ-P	5W	250LM	WM/NW/CW	300°
T60	SY-TW-DJ-C	5W	250LM	WM/NW/CW	300°
C70	SY-TW-DJ-R	5W	250LM	WM/NW/CW	300°





Led filament



ErP **RoHS**  

**DIMMABLE**

Ra > 80
Ra > 90

80~150
LM/W

PF>0.5
PF>0.7
PF>0.9

CCT
2700K
4100K
6000K

Voltage
AC/DC12V
AC100~240V
AC220~240V
AC170~250V

**25,000H**



Code: SY-F029
Watt: 2W



Code: SY-F032
Watt: 2W



Code: SY-F035
Watt: 4W



Code: SY-F030
Watt: 2W



Code: SY-F033
Watt: 2W




Code: SY-F036
Watt: 2W/4W/6W



Code: SY-F031
Watt: 2W



Code: SY-F034
Watt: 4W



Code: SY-F037
Watt: 4W



Code: SY-F038
Watt: 4W



Code: SY-F042
Watt: 4W



Code: SY-F046
Watt: 4W



Code: SY-F039
Watt: 4W



Code: SY-F043
Watt: 4W



Code: SY-F047
Watt: 4W



Code: SY-F040
Watt: 4W



Code: SY-F044
Watt: 4W



Code: SY-F048
Watt: 4W



Code: SY-F041
Watt: 4W



Code: SY-F045
Watt: 4W



Code: SY-F049
Watt: 4W


2019 LED Reflectors

Environmental protection, energy saving.




SY-BL011
SY-BL013

SY-BL012
SY-BL014




Multiple Cover Options:



Model	Code	W	lm		
GU10/MR16	SY-BL011	1.5W	120LM	WM/NW/CW	38°/60°/120°
GU10/MR16	SY-BL012	3W	250LM	WM/NW/CW	38°/60°/120°
GU10/MR16	SY-BL013	4W	320LM	WM/NW/CW	38°/60°/120°
GU10/MR16	SY-BL014	5W	400LM	WM/NW/CW	38°/60°/120°




Model	Code	W	lm	EQ-Watts		
GU10/MR16	SY-TC022	5W	400LM	35W	WM/NW/CW	38°
GU10/MR16	SY-TC023	6W	480LM	40W	WM/NW/CW	38°
GU10/MR16	SY-TC024	7W	560LM	45W	WM/NW/CW	38°
GU10/MR16	SY-TC025	8W	640LM	50W	WM/NW/CW	38°
GU10/MR16	SY-TC026	9W	720LM	60W	WM/NW/CW	38°



Model	Code	W	lm	EQ-Watts		
GU10/MR16	SY-YT011	3W	240LM	20W	WM/NW/CW	120°
GU10/MR16	SY-YT012	5W	400LM	35W	WM/NW/CW	120°
GU10/MR16	SY-YT013	7W	560LM	45W	WM/NW/CW	120°
GU10/MR16	SY-YT014	8W	640LM	50W	WM/NW/CW	120°
GU10/MR16	SY-YT015	9W	720LM	60W	WM/NW/CW	120°


Ceramic



Model	Code	W	lm	EQ-Watts		
GU10/MR16	SY-TC011	7W	560LM	55W	WM/NW/CW	120°
GU10/MR16	SY-TC012	8W	700LM	60W	WM/NW/CW	120°
GU10/MR16	SY-TC013	9W	900LM	70W	WM/NW/CW	120°



Model	Code	W	lm	EQ-Watts		
GU10/MR16	SY-TC029	7W	570LM	45W	WM/NW/CW	36°
GU10/MR16	SY-TC030	7W	570LM	45W	WM/NW/CW	60°
GU10/MR16	SY-TC031	7W	570LM	45W	WM/NW/CW	120°



Model	Code	W	lm	EQ-Watts		
GU10	SY-FH011	7W	630LM	60W	WM/NW/CW	38°/60°
MR16	SY-FH012	7W	630LM	60W	WM/NW/CW	38°/60°
GU10	SY-FH013	7W	400LM	60W	WM/NW/CW	38°/60°
MR16	SY-FH014	7W	630LM	60W	WM/NW/CW	38°/60°



SY-MN011



SY-MN012



SY-MN013



SY-MN014



SY-MN015



SY-MN016



SY-MN017



SY-MN018



GU11



MR11



ErP

RoHS

SAA

BSCI



DIMMABLE



Ra > 80



Ra > 90



80~150 LM/W





CCT




Voltage



25,000H



Model	Code	W	lm	EQ-Watts		
MR11	SY-MN011	2W	160LM	15W	WM/NW/CW	120°
GU11	SY-MN012	2W	160LM	15W	WM/NW/CW	120°
MR11	SY-MN013	2.5W	200LM	20W	WM/NW/CW	120°
GU11	SY-MN014	2.5W	200LM	20W	WM/NW/CW	120°
MR11	SY-MN015	2W	160LM	15W	WM/NW/CW	38°
GU11	SY-MN016	2W	160LM	15W	WM/NW/CW	38°
MR11	SY-MN017	3W	240LM	20W	WM/NW/CW	38°
GU11	SY-MN018	3W	240LM	20W	WM/NW/CW	38°



LED-COB
SY-GS028
8W 720LM
Angle 38° PF>0.5
CE/ROHS
φ50*56mm



LED-COB
SY-GS017
7W 630LM
Angle 38° PF>0.5
CE/ROHS
φ50*56mm



LED-SMD
SY-GS015
7W 560LM
Angle 38° PF>0.5
CE/ROHS
φ50*58mm



LED-SMD
SY-GS027
7W 560LM
Angle 38° PF>0.5
CE/ROHS
φ50*56mm



LED-COB
SY-GS037
7W 630LM
Angle 38° PF>0.5
CE/ROHS
φ50*56mm



LED-COB
SY-TC026/27/28
5W/6W/7W
400LM/480LM/560LM
Angle 38° PF>0.5
CE/ROHS
φ50*57mm



LED-SMD
SY-GS035
5W 400LM
Angle 38° PF>0.5
CE/ROHS
φ50*56mm



LED-SMD
SY-FL012
7W 560LM
Angle 120° PF>0.5
CE/ROHS
φ50*56mm



LED-COB
SY-TC025
7W
560LM
Angle 38° PF>0.5
CE/ROHS
φ50*57mm



LED-COB
SY-GS065
5W 450LM
Angle 38° PF>0.5
CE/ROHS
φ50*58mm



LED-SMD
SY-FB041/42
6W/7W
480LMW/560LM
Angle 120° PF>0.5
CE/ROHS
φ50*56mm



LED-SMD
SY-GS066
5W/6W/7W
400LM/480LM/560LM
Angle 120° PF>0.5
CE/ROHS
φ50*59mm




LED-COB
SY-GS077
7W
700LM
Angle 38° PF>0.5
CE/ROHS
φ50*60mm




LED-COB
SY-FH025
5W
400LM
Angle 38° PF>0.5
CE/ROHS
φ50*56mm





Model	Code	W	lm	EQ-Watts		
PAR20	SY-P011	8W	700LM	60W	WM/NW/CW	38°
PAR30	SY-P012	12W	1080LM	90W	WM/NW/CW	38°
PAR38	SY-P013	16W	1440LM	120W	WM/NW/CW	38°



Model	Code	W	lm	EQ-Watts		
PAR20	SY-P021	8W	700LM	60W	WM/NW/CW	12°/24°/38°
PAR30	SY-P022	12W	1080LM	90W	WM/NW/CW	12°/24°/38°
PAR38	SY-P023	16W	1440LM	120W	WM/NW/CW	12°/24°/38°



Model	Code	W	lm	EQ-Watts		
PAR20	SY-P031	8W	700LM	60W	WM/NW/CW	38°
PAR30	SY-P032	12W	1080LM	90W	WM/NW/CW	38°
PAR38	SY-P033	16W	1440LM	120W	WM/NW/CW	38°



R39/R50





R50/R63/R80/R95



Model	Code	W	lm	EQ-Watts		
R39	SY-R011	6W	520LM	45W	WM/NW/CW	120°
R50	SY-R012	8W	710LM	50W	WM/NW/CW	120°
R63	SY-R013	12W	1050LM	70W	WM/NW/CW	120°
R80	SY-R014	15W	1255LM	80W	WM/NW/CW	120°
R90	SY-R015	18W	1521LM	100W	WM/NW/CW	120°


new



Model	Code	W	lm	EQ-Watts		
BR20	SY-BR11	8W	700LM	60W	WM/NW/CW	38°
BR30	SY-BR12	12W	1080LM	90W	WM/NW/CW	38°
BR38	SY-BR13	16W	1440LM	120W	WM/NW/CW	38°





Model	Code	W	lm	EQ-Watts		
AR111	SY-AR011	12W	1050LM	85W	WM/NW/CW	36°
AR111	SY-AR012	15W	1350LM	110W	WM/NW/CW	36°



Model	Code	W	lm	EQ-Watts		
AR111	SY-AR021	12W	1050LM	85W	WM/NW/CW	36°
AR111	SY-AR022	15W	1350LM	110W	WM/NW/CW	36°



Model	Code	W	lm	EQ-Watts		
AR111	SY-AR013	12W	1050LM	85W	WM/NW/CW	12°/36°
AR70	SY-AR014	7W	560LM	45W	WM/NW/CW	12°/36°




Model	Code	W	lm	EQ-Watts		
GX53	SY-CG011	4W	320LM	25W	WM/NW/CW	120°
GX53	SY-CG012	7W	560LM	60W	WM/NW/CW	120°
GX53	SY-CG013	9W	720LM	60W	WM/NW/CW	120°
GX70	SY-CG014	10W	806LM	60W	WM/NW/CW	120°
GX70	SY-CG015	14W	1251LM	100W	WM/NW/CW	120°
GX70	SY-CG016	16W	1350LM	110W	WM/NW/CW	120°



G4G9

RoHS SAA BSCI



SY-G4011	CCT 2700K 4100K 6000K Ra > 80 Ra > 90 25,000H
Watts: 2.2W/2.4W 2.5W/3.5W Lumen 200LM/250LM 320LM	Angle:270° 12V/AC&DC 220-240V/AC φ15*H39mm φ15*H64mm φ15*H44mm



SY-G4021	CCT 2700K 4100K 6000K Ra > 80 Ra > 90 25,000H
Watts: 1.7W/2.2W Lumen 100LM/180LM	Angle:300° 12V/AC&DC 230V/AC φ14*H40mm/φ16*H40mm φ16*H44mm



SY-G9011	DIMMABLE CCT 2700K 4100K 6000K Ra > 80 Ra > 90 25,000H
Watts: 2W/3W Lumen 130LM/200LM	Angle:180° 220-240V/AC φ16*H50mm/φ16*H52mm



SY-G9021	CCT 2700K 4100K 6000K Ra > 80 Ra > 90 25,000H
Watts: 2.2W Lumen 190LM	Angle:270° 220-240V/AC φ16*H48mm



SY-G9031	DIMMABLE CCT 2700K 4100K 6000K Ra > 80 Ra > 90 25,000H
Watts: 2.5W/3.3W 3.5W/5.5W/6W Lumen 230LM/350LM 600LM/800LM	Angle:300° 220-240V/AC φ16*H50mm/φ18*H67mm φ16*H65mm/φ18.5*H62mm



SY-G9041	CCT 2700K 4100K 6000K Ra > 80 Ra > 90 25,000H
Watts: 2W Lumen 200LM	Angle:200° 220-240V/AC φ14*H49mm



SY-E9051	CCT 2700K 4100K 6000K Ra > 80 Ra > 90 25,000H
Watts: 1.6W Lumen 100LM	Angle:200° 220-240V/AC φ23*H50mm/φ26*H55mm

